

"NOV 1 0 2003

TECH CENTER 1900/2900

RAW SEQUENCE LISTING ERROR REPORT



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:	09/889.845
Source:	1600
Date Processed by STIC:	11/6/03
. •	

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 703-308-4212; FAX: 703-308-4221

<u>Effective 12/13/03</u>: TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkr41note.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- I. EFS-Bio (httm, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- Hand Carry directly to (EFFECTIVE 12/01/03):
 U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
- Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 103-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 10/08/03

Selete

Deneneueneuene, r,d,p,t,d,m,b,d ,k,h,r,s,h,m,f

Jules H. John Pil <110> Nissui Pharmaceutical Co., Ltd. Corrected Distrette Needer <120> Cyclo dodecapeptide and aids vaccine <130> NSM003422PCT explain The on (2237 line. FII: peptide is insufficient, of the Min. Comply genetic ficial sequence were used a response of Divisite Needer material <160> 3 <210> 1 <211> 12 <212> PRT <213> Artificial Sequence to 12207. It is a header <220> peperde delute -<300> <301> Shozo Shoji <302> Synthesis of Cyclo-oligo peptide and its biological ai . do you 303> Japan Pharmacology Academy Kyushu branch Mass meeting Lecture summary collection "activity"! <306> 43 <307> 1998-11-10 ,44007 1 <400> Arg Asp Asp Ala Glu Gly Glu Lys Gln Ser Asp Gly -шешепепенененененене 5ыепенененененене 10 <211> 5 lesure arres <212> PRT (213) Artificial Sequence Peplan) acid number are aligned property. (220) peptide /40072 Vo bot use TAB <210> 3 explain on (2237 lese <211> 5 <212> PRT_ odes between <213> (Artificial Sequence) amero acid rumbers Ser Gln Lys Glu Gly <220> peptide 7640073

1) Corsult Sequence Rules

for VALID format.

2) see tem 11 on Error Summary

Sheet.